

Curecrete Distribution, Inc.



(Owner Name)

PRODUCT & APPLICATION WARRANTY

Product Warranty

For a period of twenty (20) years commencing the date on which the concrete surface described herein is treated with Ashford Formula™, Curecrete Distribution, Inc. warrants to the owner that after the specified sealing and hardening period the treated surface will remain water-repellant, dustproof, hardened and abrasion resistant. In the event any area of the treated surface fails to remain water repellant, dustproof, hardened and abrasion resistant, Curecrete Distribution will, at its own expense, supply sufficient Ashford Formula™ to retreat any such defective area.

Conditions

This product warranty is effective when Ashford Formula™ is correctly applied to properly prepared and structurally sound concrete surfaces only, and is void if structural faults occur due to faulty workmanship, improper design or cracking and failure of materials other than the Ashford Formula™. (*) Upon notification by the owner of any failure of the surface to perform as warranted herein, owner must grant Curecrete Distribution access to the surface during normal business hours. This warranty agreement is void if the performance of the surface is impaired by any alterations made to the surface without warrantor's written approval, by treatments done on the surface by anyone other than a representative of Curecrete Distribution, or by any abnormal use or abuse of the surface.

*See reverse side.

Jerald W. Jones
President Curecrete Distribution, Inc.
(Not Valid Unless Signed)

Application Warranty

For a period of five (5) years commencing the date on which the concrete surface described herein is treated with Ashford Formula™, and after the specified sealing and hardening period, the applicator noted below warrants to the owner that should any area of the treated surface fail to remain water repellant, dustproof, hardened and abrasion resistant, the applicator will, at its own expense, re-treat any such defective area.

Conditions

This application warranty applies to the application of Ashford Formula™ to properly prepared and structurally sound concrete surfaces only, and is void if structural faults occur due to faulty workmanship, improper design or cracking and failure of materials other than the Ashford Formula™.

Limitations

Curecrete Distribution, Inc. and the applicator of record shall not be liable in any respect for any damage to the building described herein, contents, other property or persons; nor will it be liable for any incidental or consequential damages, whether based upon negligence or otherwise. The provisions of this warranty shall constitute owner's exclusive remedy, and will not be deemed in force until all the financial obligations to Curecrete Distribution Inc., under all invoices relating to the product described below, have been fully paid.

Name of Building:

Owner:

Location of Building:

Invoice:

Square Feet:

Drum Numbers:

Applicator:

Date Issued:

Address:

*Cause of deficiencies may include but are not limited to:

Excessive clay or silt in the concrete, premature floating and troweling, carbon dioxide from open heaters or internal combustion engines, vapor condensation on the surface of the concrete that is troweled or floated into the concrete, dry heat concentrated on the concrete surface, portland cement or sand shaken onto the concrete surface to absorb moisture, excessive water in the mix or added water during finishing, long distance pumping, improper spacing of saw cuts/control joints, untimely saw cutting, untimely application of wet cure or curing agent and freezing of the concrete surface.

